		ш.
		ū
		Ö
:		Ñ
,		N
:	==	
:	=	\Box
•		•
:		Ø
:	=	•
•		
	=	P
	==	-3
		0

		nside this box			Paten	and Trade	mark Offu	ce:IIS I	PTO/SB/05 (4/98 n 09/30/2000. OMB 0651-003 DEPARTMENT OF COMMERC	2 E		
Inder the Paperw			ersons are required		i to a collectio y Docket No			ss it displ	ays a valid OMB control number	٦		
		TILITY						Shin-	Tson Wu	4		
		APPLICA1	ION							1		
(O=h) for now mo	TRAN	ISMITTAL al applications under	37.C.E.R. & 1.53(h)		Title Polar Tolane Liquid Crystals Express Mail Label No. EK030159612US							
				7 - 7 - 7					missioner for Patents	_		
AF See MPEP char	PPLICAT	TION ELEMENT oncerning utility pater	S nt application conten	ts.	ADDR	ESS TO	; Box P	atent Ap	plication C 20231			
. Y *Fe	ee Transn	nittal Form (e.g.,	PTO/SB/17)		5. 1	/licrofiche	Comput	er Progi	ram (Appendix)			
Sub	bmit an orig	gınal and a duplicate	Total Pages 37	\neg_1					equence Submission			
(pre	eferred arra	ngement set forth be	low) L	٦,	(<i>п арр</i> . а. [<i>icable, all</i> Co	<i>necessa</i> mputer F		e Copv			
		title of the Invention			ı T		•		cal to computer copy)			
		Regarding Fed sp			b.							
		to Microfiche Appe	endix		C.				identity of above copies			
		d of the Invention							ICATION PARTS			
		nary of the Invention iption of the Drawi				-			sheet & document(s))			
1	etailed De		· ,			37 C.F.R.{ when the						
- CI	laim(s)								nent (if applicable)			
I — · · ·		the Disclosure	[\neg,	110 I	nformatio			Copies of IDS			
3 Dra	awing(s) (35 U.S.C. 113)	Total Sheets			Statemen [®]			9 L Citations			
4. Oath or D	Declaratio	n	[Total Pages 4]		Preliminar						
a. X	New	ly executed (origin	al or copy)			Return Re (Should b			MPEP 503) mized)			
b.	Copy	y from a prior appl continuation/divisiona	ication (37 C.F.R.	§ 1.63(d)		Small Er	- 1	☐ State	ement filed in prior application	on		
		DELETION OF I	NVENTOR(S)			Statemen (<i>PTO/SB/0</i>	9-12)		is still proper and desired			
1	i. L	☐ Signed statem inventor(s) nam	nent attached dele ed in the prior app	eting olication		Certified (<i>(if foreign</i>			Document(s) ed)			
		see 37 C.F.R. §	§ 1.63(d)(2) and 1	1.33(b).		Other:		***********				
* NOTE FOR I	TEMS 1 & 1	3: IN ORDER TO BE EN	ITITLED TO PAY SMAI	LL ENTITY EXCEPT								
		STATEMENT IS REQUI R APPLICATION IS RE								_		
						site informa	ition belov	v and in a	a preliminary amendment. 			
	ontinuation olication in	Divisional formation: Examir	Continuation		ŕ	Gre	oun / Art L	Init:				
For CONTINU	JATION or	DIVISIONAL APPS	only: The entire dis	ccompany	ing continual	ion or aivi	sionai ap	plication	th or declaration is supplied and is hereby incorporated	οу		
reference. Th	he incorpo	pration <u>can only</u> be	relied upon when a	portion h	as been inad	vertently o	mitted fr	om the s	ubmitted application parts.	_		
			17. CORRES	PONDE	NCE ADDI	RESS				_		
☐ Custom	ner Numbe	r or Bar Code Label	(Insert Customer I	No. or Atta	ch bar code la	bel here)	or 🖸	Corr	espondence address below			
	Carv	Tope-McKay			***************************************							
Name	Cury	1000 11111111										
Address	23852	2 Pacific Coa	st Highway #	311						_		
71001000					<u> </u>		1		00265			
City	Malib	ou			CA (310) 589	0 8158	Zip		90265 (310) 943-2736			
Country	USA		Teleph	none	(210) 28	0130		Fax		_		
Name (i	(Print/Type)	Cary Tope-N	/IcKay		Regi	stration No	(Attorney/A	(gent)	41,350			
Signatur			1			 		Date	7/1/60			
	the emous	of time you are rea	nuired to complete t	Mais torm sh	nould be sent	to the Chie	t intorma	ION UIIIC	eeds of the individual case. A er, Patent and Trademark Offic	пу се,		
Washington, D	OC 20231. I	DO NOT SEND FEE:	S OR COMPLETED	FORMS T	O THIS ADDR	ESS. SEN	U 10. As	ssistant C	commissioner for Patents,			

PTO/SB/17 (12/99)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

FEE TRANS	MITTAI	espond to a collection of information unless it displays a valid OMB control number Complete if Known					
_		Application Number		Δ,			
for FY 2	000	Filing Date		က်			
Patent fees are subject to an	nual revision.	First Named Inventor	Shin-Tson Wu	j.			
Small Entity payments <u>must</u> be supported to otherwise large entity fees must be paid.	See Forms PTO/SB/09-12.	Examiner Name		53			
See 37 C.F.R. §§ 1.27 a	and 1.28.	Group / Art Unit		<u></u>			
TOTAL AMOUNT OF PAYMENT	(\$) 996	Attorney Docket No.	HRL033B	7			

METHOD OF PAYMENT (check one)	FEE CALCULATION (continued)						
The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:	Large Entit	IONAL FE					
Deposit Account	Fee Fee Code (\$)	Code (\$)	Fee Description	Fee Paid			
Number	105 130	205 65	Surcharge - late filing fee or oath				
Deposit Account	127 50	227 25	Surcharge - late provisional filing fee or cover sheet.				
Name	139 130	139 130	Non-English specification				
Charge Any Additional Fee Required Under 37 CFR §§ 1.16 and 1.17	147 2,520	147 2,520	For filing a request for reexamination				
2. X Payment Enclosed:	112 920*	112 920*	Requesting publication of SIR prior to Examiner action				
Check Money Other	113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action				
FEE CALCULATION	115 110	215 55	Extension for reply within first month				
1. BASIC FILING FEE	116 380	216 190	Extension for reply within second month				
Large Entity Small Entity	117 870	217 435	Extension for reply within third month				
Fee Fee Fee Fee Description	118 1,360	218 680	Extension for reply within fourth month				
404 000 004 045 1844 04 1	128 1,850	228 925	Extension for reply within fifth month	-			
101 690 201 345 Utility filing fee \$690 106 310 206 155 Design filing fee	119 300	219 150	Notice of Appeal				
107 480 207 240 Plant filing fee	120 300	220 150	Filing a brief in support of an appeal				
108 690 208 345 Reissue filing fee	121 260	221 130	Request for oral hearing				
114 150 214 75 Provisional filing fee	138 1,510	138 1,510	Petition to institute a public use proceeding				
	140 110	240 55	Petition to revive - unavoidable				
SUBTOTAL (1) (\$) 690	141 1,210	241 605	Petition to revive - unintentional				
2. EXTRA CLAIM FEES Fee from	142 1,210	242 605	Utility issue fee (or reissue)				
Extra Claims below Fee Paid	143 430	243 215	Design issue fee				
Total Claims 24 -20** = 4 × 18 = 72	144 580	244 290	Plant issue fee				
Independent 6 - 3** = 3 × 78 = 234	122 130	122 130	Petitions to the Commissioner				
Multiple Dependent 0 = 0	123 50	123 50	Petitions related to provisional applications				
**or number previously paid, if greater; For Reissues, see below	126 240	126 240	Submission of Information Disclosure Stmt				
Large Entity Small Entity Fee Fee Fee Fee Fee Description Code (\$) Code (\$)	581 40	581 40	Recording each patent assignment per property (times number of properties)				
103 18 203 9 Claims in excess of 20	146 690	246 345	Filing a submission after final rejection				
102 78 202 39 Independent claims in excess of 3	149 690	249 345	(37 CFR § 1.129(a))				
104 260 204 130 Multiple dependent claim, if not paid	149 090	249 343	For each additional invention to be examined (37 CFR § 1.129(b))				
109 78 209 39 ** Reissue independent claims over original patent	Other fee (spe	ecify)					
110 18 210 9 ** Reissue claims in excess of 20 and over original patent	Other fee (spe	ecify)					
SUBTOTAL (2) (\$) 306	*Reduced by I	Basic Filing F	see Paid SUBTOTAL (3) (\$) 0				
SUBMITTED BY			Complete (if applicable)	7			
Name (Print/Type) Carx Tope-McKay	Registr	ation No. 4	1 350 Telephone (310) 589.	.8158			

Signature Date WARNING:

> Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

5

POLAR TOLANE LIQUID CRYSTALS

FIELD OF THE INVENTION

The present invention relates to liquid crystal materials and eutectic mixtures thereof. In particular, the invention is directed to a new class of polar asymmetric tolane derivatives and eutectic liquid crystal mixtures containing the derivatives with infrared and microwave applications.

BACKGROUND OF THE INVENTION:

Liquid crystals that have high birefringence, low viscosity, and low threshold voltage, and are capable of maintaining a nematic phase over a broad temperature range are desirable in electro-optic phase and amplitude modulation applications. Such applications include infrared light valves, polymer-dispersed liquid crystals and cholesteric displays. High birefringence, or optical anisotropy (Δn), of the liquid crystal composition improves the efficiency of light modulation, and low rotational viscosity serves to shorten the response times. Low threshold voltage, which is inversely related to the dielectric anisotropy of the liquid crystal material, simplifies the electronics that drive the application.

Polar liquid crystal compounds, particularly fluorinated species, have been investigated as possible candidates for such electro-optics applications. In general, fluorinated liquid crystal compounds have desirably low rotational viscosity, excellent photostability and

Page 1
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

15

high resistivity. However, they also tend to exhibit modest dielectric anisotropy and, accordingly, high threshold voltage.

Increasing the asymmetry and, accordingly, the polarity of such compounds has been proposed as a means to improve the dielectric anisotropy of these compounds. Wu, et al. [Opt. Eng. 32, 1792-7 (1993)], for example, reported polar fluorinated diphenyldiacetylenes and tolanes as shown in Structures I and II below, respectively

$$R_n$$
— $\left\langle \begin{array}{c} \\ \\ \end{array} \right\rangle$ — F

(Structure I)

$$R_n$$
 \longrightarrow F

(Structure II)

These compounds exhibit high birefringence, high resistivity, low viscosity, and comparatively low threshold voltage. However, while in some cases these compounds have reasonably low melting temperatures and heat fusion enthalpies, as is typical of compounds with high dipole moments, the melting temperature is too high and the nematic phase is too narrow.

The fluorination of polytolane liquid crystal compounds has also been investigated. In general, the highly conjugated polytolanes have desirably high birefringence. Fluorinated bis-tolanes such as shown in structure III, have been reported.

$$R - \bigcirc - \bigcirc - \bigcirc - F$$

5 (Structure III)

While this type of compound has good dielectric anisotropy, utility is limited, once again, due to high melting point and narrow nematic range.

SUMMARY OF THE INVENTION

A new class of liquid crystal compounds is provided which provides improved melting points and broader nematic ranges compared to previously reported fluorinated liquid crystal compounds. Specifically, the present invention provides a class of compounds based on the tolane and bis-tolane structures as shown in Structures IV and V.

15 (Structure IV)

15

5

$$R_m$$
 X_1
 X_2
 X_2
 X_2
 X_3
 X_4
 X_5
 X_4
 X_5
 X_5

(Structure V)

For the compounds depicted in all of the above structures and described herein, a polar group such as F (fluoro), CN (cyano), OCF₃ (trifluoromethoxy), or NCS (isothiocyanate) is positioned at site X and fluoro groups are positioned at least one of the pairs of sites Y_1 and Y_2 , Z_1 and Z_2 , and for the bis-tolane derivatives, A_1 and A_2 .

For the tolane derivatives as depicted in structure IV, T_1 is always a triple bond. For the bis-tolane derivatives, T_1 and T_2 are either both triple bonds or one of the two groups is a double bond with and the other remains a triple bond.

In this new class of compounds, R_n or R_m may be an alkyl group having the general formula C_nH_{2n+1} , an alkenyl group having the general formula C_nH_{2n-1} , an alkoxy group having the general formula OC_nH_{2n+1} , or an alkenoxy group having the general formula – OC_nH_{2n-1} . Additionally, for the tolane compounds depicted in structure IV, R_n may be a cyclohexyl substituent as shown in Structure VI

Page 4
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

or a dioxane substituent as shown in Structure VII.

$$R_{\overline{X}}$$

(Structure VII)

5 For both types of substituents, R_x may be an alkyl group having the general formula general formula $-C_xH_{2x+1}$, an alkenyl group having the general formula $-C_xH_{2x+1}$, an alkoxy group having the general formula $-OC_xH_{2x+1}$, or an alkenoxy group having the the two the two to the general formula $-OC_xH_{2x-1}$.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to a new class of liquid crystal materials and eutectic mixtures thereof and a method for their synthesis. It is anticipated that the invention may be tailored to a variety of other applications. The following description is presented to enable one of ordinary skill in the art to make and use the invention and to incorporate it in the context of particular applications. Various modifications, as well as a variety of uses in different applications, will be readily apparent to those skilled in the art, and the general principles defined herein may be applied to a wide range of embodiments. Thus, the present invention is not intended to be limited to the embodiments presented, but is to be accorded the widest scope consistent with the principles and novel features disclosed herein.

20

15

5

The present invention relates, generally, to fluorinated polar asymmetric liquid crystal compound, a method for their preparation, and their use in eutectic mixtures. In certain embodiments of this invention, tolane compounds are provided of the type depicted in

$$R_n$$
 Z_1
 X_1
 X_2
 X_2

(Structure VIII)

Structure VIII:

wherein X is a polar group such as F (fluoro), CN (cyano), OCF₃ (trifluoromethoxy), or NCS (isothiocyanate), and at least one of the pairs Y_1 and Y_2 and Z_1 and Z_2 are fluoro groups. In these embodiments, R_n may be an alkyl group having the general formula C_nH_{2n+1} , an alkenyl group having the general formula C_nH_{2n-1} , an alkoxy group having the general formula OC_nH_{2n+1} , or an alkenoxy group having the general formula OC_nH_{2n-1} . For these substituents, the value of n is preferably approximately 2 to 12. Additionally, R_n may be a substituent of the type shown in Structure VI,

$$R_X$$

(Structure VI)

wherein R_x is an alkyl group having the general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula

Page 6
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

 OC_xH_{2x+1} , or an alkenoxy group having the general formula OC_xH_{2x-1} . The value of x is preferably approximately 2 to 12. In yet another alternative, R_n may be a substituent of the type shown in Structure VII,

$$R_{\overline{X}}$$

5 (Structure VII)

wherein again R_x may be an alkyl group having the general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula OC_xH_{2x+1} , or an alkenoxy group having the general formula OC_xH_{2x-1} . Again, the value of x is preferably approximately 2 to 12.

In other, preferred embodiments of this invention, bis-tolane compounds are provided as shown in structure IX,

$$R_m$$
 X_1
 X_2
 X_2
 X_2
 X_3
 X_4
 X_4
 X_4
 X_4
 X_4
 X_5

(Structure IX)

wherein X is a polar group such as F (fluoro), CN (cyano), OCF3(trifluoromethoxy), or NCS (isothiocyanate), and at least one of the pairs Y_1 and Y_2 , Z_1 and Z_2 , and A_1 and A_2 are fluoro groups. In this embodiment, R_m may be an alkyl group having the general formula C_mH_{2m+1} , an alkenyl group having the general formula C_mH_{2m-1} , an alkoxy group Page 7

Polar Tolane Liquid Crystals

Wu, Dalton, and Chai

5

having the general formula OC_mH_{2m+1} , or an alkenoxy group having the general formula OC_mH_{2m-1} . The value of m is preferably approximately 2 to 12.

One example of this embodiment, wherein R_m is an alkyl group with m = 4, is depicted for clarity in structure X and will henceforth be referred to as PTPTP-4FFF.

$$H_9C_4$$
 F

(Structure X)

This trifluoro bis-tolane compound has a nematic range of 115 to 188.1 °C and a heat fusion enthalpy of 3.85 kcal/mol. In comparison, the monofluoro compound, henceforth referred to as PTPTP-4F, and depicted in structure XI,

(Structure XI)

has a nematic range of 173.1 to 217.2 °C and a heat fusion enthalpy of 8.47 kcal/mol.

The addition of the fluoro groups meta to the tolane triple bond serves to reduce both the melting and clearing points of the compound and accordingly reduce the heat fusion enthalpy. Further, in contrast to PTPTP-4F, the reduced melting point of the PTPTP-4FF species renders it useful in eutectic mixtures.

10

In yet other embodiments, modified bis-tolane structures of the types depicted in Structures XII and XIII are provided:

(Structure XII)

$$\mathbb{R}_{m} \longrightarrow \left(\begin{array}{c} \mathbb{Z}_{1} & \mathbb{Y}_{1} \\ \mathbb{Z}_{2} & \mathbb{Y}_{2} \end{array} \right)$$

(Structure XIII)

wherein X is a polar group such as F (fluoro), CN (cyano), OCF₃ (trifluoromethoxy), or NCS (isothiocyanate), and either the pair Y_1 and Y_2 , the pair Z_1 and Z_2 , or the pair A_1 and A_2 are fluoro groups and the alternate pairs are hydrogens. In this embodiment, R_m may be an alkyl group having the general formula C_mH_{2m+1} , an alkenyl group having the general formula C_mH_{2m-1} , an alkoxy group having the general formula OC_mH_{2m-1} , or an alkenoxy group having the general formula OC_mH_{2m-1} . The value of m is preferably approximately 2 to 12.

For preferred embodiments of the tolanes provided by the present invention as shown in structure VIII,

$$R_n$$
 Z_1
 X_1
 X_2
 X_2

(Structure VIII)

the R_n substituent is an alkenyl group having the general formula C_nH_{2n-1} , and more preferably an alkenyl group with the double bond in the second position and having the general formula $C_xH_{2x+1}CH=CH-CH_2$. Similarly for the bis-tolanes and modified bis-tolane derivatives shown structures IX, XII, and XIII,

$$R_m$$
 A_1
 A_2
 A_2
 A_2
 A_2
 A_3
 A_4
 A_4
 A_5
 A_7
 A_8
 A_8
 A_9
 A_9

(Structure IX)

$$R_m$$
 A_1
 X_2
 X_2
 X_2
 X_3
 X_4
 X_4
 X_4
 X_5
 X_4
 X_5
 X_5
 X_5
 X_5
 X_5
 X_6
 X_7

10 (Structure XII)

$$R_m$$
 A_1
 X_1
 X_2
 X_2
 X_2
 X_2

(Structure XIII)

 R_m is preferably an alkenyl group with the general formula C_mH_{2m-1} , and more preferably an alkenyl with the double bond in the second position and having the general formula

5 $C_xH_{2x+1}CH=CH-CH_2$. Furthermore, for the tolanes, bis-tolanes, and modified bis-tolanes provided herein, fluoro substitution at the X, Y_1 , and Y_2 positions is preferred.

Generally, the compounds provided in the present invention have large dipole moments that contribute to desirably high dielectric anisotropy. However, the positioning of the additional fluoro groups helps to reduce the high melting points characteristic of polar tolane and bis-tolane compounds. Modified bis-tolane structure XIII is shown here for reference.

$$R_m$$
 A_1
 Z_1
 Y_1
 X_2
 Z_2
 X_2

(Structure XIII)

However, the principles presented herein apply to all embodiments of the present invention. It should be apparent to one skilled in the art that placing fluoro groups in at

Page 11
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

least one pair of the Y_1 , Y_2 , or Z_1 , Z_2 , or A_1 , A_2 paired positions in the above structure not only contributes to the overall dipole of the molecule but also serves to increase the effective molecular distance between molecules in the bulk phase. Increasing the intermolecular distance results in a decrease in melting point and heat fusion enthalpy.

5

For the modified bis-tolane embodiments of the present invention, reduction of one of the bis-tolane triple bonds to a double bond as shown in structures XII and XIII

$$\mathbb{R}_{m} \longrightarrow \left(\begin{array}{c} \mathbb{A}_{1} \\ \mathbb{A}_{2} \end{array} \right) = \left(\begin{array}{c} \mathbb{Z}_{1} \\ \mathbb{Z}_{2} \end{array} \right) = \mathbb{Y}_{1}$$

(Structure XII)

10

15

(Structure XIII)

introduces a bend into the molecular structure. This bend, like the pairs of fluoro substituents, serves to increase the intermolecular distance in the bulk phase. Thus, the reduction of one of the triple bonds in the bis-tolane structure results in a lower melting point and heat fusion enthalpy for the compound.

In additional embodiments of the present invention, the compounds provided herein are utilized as components of eutectic mixtures. In general, compounds such as those depicted in structure XIV

$$R_{x}$$

5 (Structure IV)

are particularly effective due to low melting point and wide nematic range. Compounds such as PTPTP-4FFF and the class of compounds depicted in Structure XV,

$$R_{\mathbf{x}}$$

(Structure XV)

- while having relatively high melting points and limited nematic phases, are nonetheless useful as dopants for increasing the dielectric anisotropy of eutectic mixtures.

 Compounds of the type shown in structure XV, in particular, have very high dipole moments and accordingly large dielectric anisotropy values.
- General procedures for the preparation of embodiments of this invention are provided in Schemes 1 and 2. Scheme 1 outlines particularly the synthesis of the tolane compounds

(4), and Scheme 2 outlines particularly the bis-tolane variants (11). A detailed description of a synthesis example compound PTPTP-4FFF according to Scheme 2 is provided below. It will be readily apparent to one skilled in the art that the synthesis for PTPTP-4FFF described herein can be readily adapted, as outlined in Schemes 1 and 2, to produce other variants of the present invention. Appropriate selection of reactants, such as substituted benzenes, as outlined in the Schemes below will provide the desired products according to the present invention.

To a mixture of (trimethylsilyl)acetylene **1a** (5.0 g, 51 mmol) and 1-butyl-4-iodobenzene **5** (10.6 g, 46 mmol) was added the catalyst system of Pd(PPh₃)Cl₂ (800 mg, 1.2 mmol) and CuI (220 mg, 1.2 mmol) followed by anhydrous tetrahydrofuran (50 mL). The mixture was kept under an Ar atmosphere and cooled with an ice-bath. Triethylamine (10 mL, 72 mmol) was added to the mixture through a syringe over 5 minutes and the orange solution was stirred for 1.5 hours while the ice-bath warmed up. The resulting dark solution was diluted with pentane and washed with 10% HCl, saturated NaHCO₃, and brine, successively. The organic layer was dried with Na₂SO₄, concentrated and passed through a plug of silica gel. Evaporation of solvent gave the trimethylsilyl acetylene derivative **6** as a clear oil (9.2 g, 100%).

To 6 (m = 4) (9.2 g, 46 mmol) was added a solution of NaOH (4 g, 100 mmol) in a mixed solvent of H₂O (8 mL), THF (8 mL) and MeOH (8 mL). The mixture was stirred at room temperature for 17 hours. It was then diluted with hexanes and washed with 10% HCl, saturated NaHCO₃ and brine, successively. The organic layer was dried with Na₂SO₄,

Page 14

10

concentrated and passed through a plug of silica gel. Evaporation of solvent gave the unsubstituted acetylene compound 7 as a clear oil(5.5 g, 93%).

To an ice-bath-cooled mixture of 7 (m = 4) (1.88 g, 11.9 mmol), 1-bromo-4-iodobenzene 7a (3.06 g, 10.8 mmol), Pd(PPh₃)Cl₂ (209 mg, 0.3 mmol) and CuI (57 mg, 0.3 mmol) were added tetrahydrofuran (12 mL) followed by triethylamine (5 mL). The mixture was stirred for 24 hours at room temperature. The precipitates were removed by vacuum filtration and the filtrate was diluted with pentane. The organic layer was washed with 10% HCl, saturated NaHCO₃ and brine, successively. After drying with MgSO₄, concentration and filtration through silica gel, the brominated tolane 8 was obtained as a yellow solid (3.22 g, 95%).

To a solution of 8 (m = 4) (743 mg, 2.4 mmol), $Pd(PPh_3)Cl_2$ (28 mg, 0.01 mmol), CuI (5 mg, 0.01 mmol) and PPh_3 (10 mg, 0.01 mmol) in triethylamine (10 mL) was added (trimethylsilyl)acetylene (500 μ L, 3.6 mmol). The solution was refluxed under Ar for 1.5 hours and then cooled to room temperature. Hexane extracts of the mixture were washed with 10% HCl, saturated NaHCO₃, and brine, successively. The solution was dried with Na₂SO₄ and concentrated. The crude oil was subject to column chromatography to give a yellowish solid (604 mg, 84%) as the pure trimethylsilyl acetylene derivative 9.

20

15

To a solution of 9 (m = 4) (430 mg, 1.3 mmol) in the mixed solvent of tetrahydrofuran (6 mL) and ethanol (6 mL) was added 1 g of Dowex® 550A OH anion-exchange resin.


The mixture was stirred at room temperature for 18 hours. After the resin was filtered, the solution was concentrated and filtered through silica gel (hexanes as eluent). Evaporation of solvent gave the unsubstituted acetylene derivative 10 as a yellow solid (350 mg, 100%).


5

10

To a mixture of 10 (n = 4) (182 mg, 1 mmol) and 1-bromo-3,4,5-trifluorobenzene 10a (211 mg, 1 mmol) was added Pd(PPh₃)₄ (12 mg, 0.01 mmol), CuI (2 mg, 0.01 mmol) and PPh₃ (4 mg, 0.01 mmol) followed by triethylamine (5 mL). The mixture was refluxed under Ar for 2 hours and cooled down to room temperature. It was then diluted with hexanes, filtered through silica gel and concentrated. Column chromatography of the crude oil gave the pure bis-tolane product 11 as a clear oil (80%).

15





Page 18 Polar Tolane Liquid Crystals Wu, Dalton, and Chai

CLAIMS

1. Liquid crystal compounds having the general structure:

$$R_n$$
 Z_1
 Y_1
 X_2
 Y_2

5 (Structure IV)

wherein X is selected from the group consisting of F (fluoro), CN (cyano),

OCF₃(trifluoromethoxy), and NSC(isothiocyanate);

 T_1 is a triple bond;

Y₁ and Y₂ are a pair of substituents selected from the group consisting of H and F, and Y₁

10 = Y_2 ;

 Z_1 and Z_2 are a pair of substituents selected from the group consisting of H and F, and Z_1 = Z_2 ; and,

at least one of the pairs Y_1 and Y_2 and Z_1 and Z_2 are substituted with F;

Rn is selected from the group consisting of an alkyl group having the general formula

 C_nH_{2n+1} , an alkenyl group having the general formula C_nH_{2n-1} , an alkoxy group having the general formula OC_nH_{2n+1} , an alkenoxy group having the general formula OC_nH_{2n-1} , a group of the general structure

$$R_X$$

(Structure VI)

and a group of the general structure

$$R_{\overline{X}}$$

5 (Structure VII)

wherein R_x for both structures is selected from a group consisting of an alkyl group having the general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula OC_xH_{2x+1} , and an alkenoxy group having the general formula OC_xH_{2x-1} .

10

- 2. A liquid crystal compound as set forth in claim 1, wherein X is substituted with F; and, Y_1 and Y_2 are substituted with F and Z_1 and Z_2 are H groups.
- 3. A liquid crystal compound as set forth in claim 1, wherein R_n is selected from a group consisting of an alkyl group having the general formula C_nH_{2n+1}, an alkenyl group having the general formula C_nH_{2n-1}, an alkoxy group having the general formula OC_nH_{2n+1}, and an alkenoxy group having the general formula OC_nH_{2n-1} where n is approximately 2 to 12.

5

4. A liquid crystal compound as set forth in claim 1, wherein R_x is selected from a group consisting of an alkyl group having the general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula OC_xH_{2x+1} , and an alkenoxy group having the general formula OC_xH_{2x-1} where x is approximately 2 to 12.

5. A liquid crystal compound as set forth in claim 1, wherein R_n is an alkenyl group having the general formula C_nH_{2n-1} .

10 6. A liquid crystal compound as set forth in claim 1, wherein R_n is an alkenyl group having the general formula C_nH_{2n-1} where n ranges approximately from 2 to 12.

7. A liquid crystal compound as set forth in claim 1, wherein R_n is an alkenyl group having the general formula $C_xH_{2x-1}CH=CH-(CH_2)-$.

8. Liquid crystal compounds having the general structure

(Structure V)

Page 21
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

wherein X is selected from the group consisting of F (fluoro), CN (cyano), OCF₃(trifluoromethoxy), and NSC(isothiocyanate);

T₁ is selected from the group consisting of a triple and a double covalent bond between
 two carbons;

T₂ is selected from the group consisting of a triple and a double covalent bond between two carbons; and,

 T_1 is not equal to T_2 when T_1 or T_2 is a double bond;

Y₁ and Y₂ are a pair of substituents selected from the group consisting of H and F and Y₁

10 = Y_2 ;

 Z_1 and Z_2 are a pair of substituents selected from the group consisting of H and F and Z_1 = Z_2 ;

 A_1 and A_2 are a pair of substituents selected from the group consisting of H and F and A_1 = A_2 ;

at least one of the pairs Y_1 and Y_2 , Z_1 and Z_2 , and A_1 and A_2 is substituted with F; and, R_m is selected from the group consisting of selected from a group consisting of an alkyl group having the general formula C_mH_{2m+1} , an alkenyl group having the general formula C_mH_{2m-1} , an alkoxy group having the general formula OC_mH_{2m-1} , and an alkenoxy group having the general formula OC_mH_{2m-1} .

20

15

9. A liquid crystal compound as set forth in claim 8, wherein X is a substituted with F;

15

5

Y₁ and Y₂ are substituted with F; and,

 Z_1 and Z_2 and A_1 and A_2 are H groups.

- 10. A liquid crystal compound as set forth in claim $\mathbf{8}$, wherein T_1 and T_2 are triple bonds between two carbons.
- 11. A liquid crystal compound as set forth in claim 8, wherein R_m is selected from a group consisting of an alkyl group having the general formula C_mH_{2m+1} , an alkenyl group having the general formula C_mH_{2m-1} , an alkoxy group having the general formula OC_mH_{2m+1} , and an alkenoxy group having the general formula OC_mH_{2m-1} where m is approximately 2 to 12.
- 12. A liquid crystal compound as set forth in claim 8, wherein R_m is an alkenyl group having the general formula C_mH_{2m-1} .
- 13. A liquid crystal compound as set forth in claim 8, wherein R_m is an alkenyl group having the general formula C_mH_{2m-1} where m ranges approximately from 2 to 12.
- 14. A liquid crystal compound as set forth in claim 8, wherein R_m is an alkenyl group
 20 having the general formula C_mH_{2m-1}CH=CH-(CH₂)-.

Page 23
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

15. A eutectic mixture of liquid crystal compounds comprising at least two liquid crystal compounds, including at least one compound having the general structure

$$R_{\overline{n}} \longrightarrow X_1 \longrightarrow X_2 \longrightarrow$$

(Structure IV)

wherein X is selected from the group consisting of F (fluoro), CN (cyano), OCF3(trifluoromethoxy), and NSC(isothiocyanate);

 T_1 is a triple bond;

 Y_1 and Y_2 are a pair of substituents selected from the group consisting of H and F and $Y_1 = Y_2$;

In Z_1 and Z_2 are a pair of substituents selected from the group consisting of H and F and Z_1 = Z_2 ;

at least one of the pairs Y_1 and Y_2 and Z_1 and Z_2 are substituted with F;

 R_n is selected from the group consisting of an alkyl group having the general formula C_nH_{2n+1} , an alkenyl group having the general formula C_nH_{2n-1} , an alkoxy group having the general formula OC_nH_{2n+1} , an alkenoxy group having the general formula OC_nH_{2n-1} , a group of the general structure

$$R_x$$

(Structure VI)

Page 24
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

and a group of the general structure

$$R_{\overline{X}}$$

(Structure VII)

having the general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula $-OC_xH_{2x+1}$, and an alkenoxy group having the general formula $-OC_xH_{2x-1}$.

wherein R_x for both structures is selected from a group consisting of an alkyl group

16. A eutectic mixture of liquid crystal compounds comprising at least two liquid crystal compounds including at least one compound having the general structure

$$R_m$$
 T_2
 T_1
 T_1
 T_2
 T_1
 T_2
 T_2
 T_3
 T_4
 T_2
 T_4

(Structure V)

wherein X is selected from the group consisting of F (fluoro), CN (cyano), OCF₃(trifluoromethoxy), and NSC(isothiocyanate);

15 T₁ is selected from the group consisting of a triple and a double covalent bond between two carbons;

15

5

T₂ is selected from the group consisting of a triple and a double covalent bond between two carbons; and,

 T_1 is not equal to T_2 when T_1 or T_2 is a double bond;

 Y_1 and Y_2 are a pair of substituents selected from the group consisting of H and F and Y_1 = Y_2 ;

 Z_1 and Z_2 are a pair of substituents selected from the group consisting of H and F and Z_1 = Z_2 ;

 A_1 and A_2 are a pair of substituents selected from the group consisting of H and F and A_1 = A_2 ;

at least one of the pairs Y_1 and Y_2 , Z_1 and Z_2 , and A_1 and A_2 is substituted with F; and, R_m is selected from the group consisting of selected from a group consisting of an alkyl group having the general formula C_mH_{2m+1} , an alkenyl group having the general formula C_mH_{2m-1} , an alkoxy group having the general formula OC_mH_{2m+1} , and an alkenoxy group having the general formula OC_mH_{2m-1} .

17. A method for preparing liquid crystal compounds, comprising the steps of:

a) reacting an iodobenzene as shown in Structure 1 with trimethylsilyl acetylene in the presence of a catalyst and an amine to produce an trimethylsilylacetyl derivative as shown in structure 2;

$$R_n \longrightarrow Z_1$$
 Z_2

(Structure 1)

$$\mathbb{R}_n - \left\langle \begin{array}{c} Z_1 \\ \\ \\ Z_2 \end{array} \right|$$

(Structure 2)

;

- b) isolating the trimethylsilylacetyl derivative shown in structure 2 from the reaction of the iodobenzene shown in structure 1 and trimethylsilylacetylene in the presence of the catalyst and the amine;
- c) reacting the trimethylsilylacetyl derivative shown in structure 2 with a base to remove trimethyl silane and to give an unsubstituted product as shown in structure 3;

$$R_n \longrightarrow Z_1$$
 Z_2
 Z_3

(Structure 3)

Page 27
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

10

- d) isolating the unsubstituted product as shown in structure 3 from the reaction of the trimethylsilylacetyl derivative shown in structure 2 with the base;
- e) reacting the unsubstituted product as shown in structure 3 with a brominated, substituted benzene as shown in structure 3a to give a tolane product as shown in structure 4;

$$\mathbf{Br} \longrightarrow \begin{array}{c} \mathbf{Y_1} \\ \mathbf{Y_2} \end{array}$$

(Structure 3a)

(Structure 4)

- f) isolating the tolane product shown in structure 4 from the reaction of the unsubstituted product as shown in structure 3 with the brominated, substituted benzene brominated, substituted benzene shown in structure 3a;
- wherein X is selected from the group consisting of F (fluoro), CN (cyano), OCF₃(trifluoromethoxy), and NSC(isothiocyanate);

Page 28
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

5

 T_1 is a triple bond;

 Y_1 and Y_2 are a pair of substituents selected from the group consisting of H and F, and $Y_1 = Y_2$;

 Z_1 and Z_2 are a pair of substituents selected from the group consisting of H and F, and Z_1 = Z_2 ; and,

At least one of the pairs Y_1 and Y_2 and Z_1 and Z_2 is substituted with F;

 R_n is selected from the group consisting of an alkyl group having the general formula C_nH_{2n+1} , an alkenyl group having the general formula C_nH_{2n-1} , an alkoxy group having the general formula OC_nH_{2n+1} , an alkenoxy group having the general formula OC_nH_{2n-1} , a group of the general structure

$$R_2$$

and a group of the general structure

$$R_2$$
— \bigcirc \bigcirc \bigcirc

wherein R_x for both structures is selected from a group consisting of an alkyl group having the general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula OC_xH_{2x+1} , and an alkenoxy group having the general formula OC_xH_{2x-1} .

5

18. The method for preparing liquid crystal compounds as set forth in claim 17, wherein the catalyst in steps a) and e) is $Pd(Ph_3)_2Cl_2/CuI$.

19. The method for preparing liquid crystal compounds as set forth in claim 17, wherein the amine in steps a) and e) is triethylamine.

20. The method for preparing liquid crystal compounds as set forth in claim 17, wherein the base in step c) is NaOH.

10 21. A method for preparing liquid crystal compounds, comprising the steps of:

a) reacting an iodobenzene as shown in Structure 5 with trimethylsilyl acetylene in the presence of a catalyst and an amine to produce an trimethylsilylacetyl derivative as shown in structure 6;

$$R_{m}$$
 A_{1} A_{2}

(Structure 5)

15

5

$$R_m$$
 A_1 A_2 A_2

(Structure 6)

- b) isolating the trimethylsilylacetyl derivative shown in structure 6 from the reaction of the iodobenzene shown in structure 5 and trimethylsilylacetylene in the present of the catalyst and the amine;
 - c) reacting the trimethylsilylacetyl derivative shown in structure 6 with a base to remove trimethyl silane and to give an unsubstituted product as shown in structure 7;

$$R_m$$
 \longrightarrow A_1 \longrightarrow A_2

(Structure 7)

- d) isolating the unsubstituted product as shown in structure 7 from the reaction of the trimethylsilylacetyl derivative shown in structure 6 with the base;
- e) reacting the unsubstuted product as shown in structure 7 with a substituted bromoiodobenzene as shown in structure 7a in the presence of a catalyst, an

Page 31
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

10

amine, and triphenylphosphine to prepare a brominated, substituted tolane product shown in structure 8;

$$I - \bigvee_{Z_2}^{Z_1} Br$$

(Structure 7a)

(Structure 8)

f) isolating the brominated, substituted tolane product shown in structure 8 from the reaction of the unsubstuted product as shown in structure 7 with the substituted bromoiodobenzene as shown in structure 7a in the presence of the catalyst, the amine, and triphenylphosphine;

g) reacting the brominated, substituted tolane product shown in structure 8 with trimethylsilylacetylene in the presence of the catalyst, the amine, and triphenylphosphine to produce a trimethylacetyl derivative as shown in structure 9;

Page 32 Polar Tolane Liquid Crystals Wu, Dalton, and Chai

15

5

$$\mathsf{R}_m - \left\langle \begin{array}{c} \mathsf{A}_1 \\ \\ \mathsf{A}_2 \\ \end{array} \right\rangle = \left\langle \begin{array}{c} \mathsf{Z}_1 \\ \\ \mathsf{Z}_2 \\ \end{array} \right\rangle$$

(Structure 9)

- h) isolating the trimethylacetyl derivative shown in structure 9 from the reaction of the brominated, substituted tolane product shown in structure 8 with trimethylsilylacetylene in the presence of the catalyst, the amine, and triphenylphosphine;
- i) reacting the trimethylsilylacetyl derivative shown in structure 9 with a base to remove trimethylsilane and produce an unsubstituted product as shown in structure 10;

$$R_{m} - \left\langle \begin{array}{c} A_{1} \\ \\ A_{2} \end{array} \right\rangle = -H$$

(Structure 10)

- j) isolating the unsubstituted product shown in structure 10 from the reaction of the trimethylsilyl derivative shown in structure 9 with the base;
- k) reacting the unsubstituted product shown in structure 10 with a substituted bromobenzene as shown in structure 10a in the presence of a catalyst, an amine, and triphenylphosphine to produce a bis-tolane product as shown in structure 11;

Page 33
Polar Tolane Liquid Crystals
Wu, Dalton, and Chai

$$\operatorname{Br} - \bigvee_{Y_2}^{Y_1} X$$

(Structure 10a)

$$R_{m} - \left\langle \begin{array}{c} A_{1} \\ \\ A_{2} \end{array} \right\rangle = \left\langle \begin{array}{c} Z_{1} \\ \\ Z_{2} \end{array} \right\rangle = \left\langle \begin{array}{c} Y_{1} \\ \\ Y_{2} \end{array} \right\rangle$$

(Structure 11)

5

I) isolating the bis-tolane product shown in structure 11 from the reaction of the unsubstituted product shown in structure 10 with the substituted bromobenzene shown in structure 10a in the presence of the catalyst, the amine, and triphenylphosphine;

wherein for the structures shown, X is selected from the group consisting of F (fluoro), CN (cyano), OCF₃(trifluoromethoxy), and NSC(isothiocyanate);

 T_1 is selected from the group consisting of a triple and a double covalent bond between two carbons;

T₂ is selected from the group consisting of a triple and a double covalent bond between
 two carbons; and,

 T_1 is not equal to T_2 when T_1 or T_2 is a double bond;

Page 34

Polar Tolane Liquid Crystals

Wu, Dalton, and Chai

 Y_1 and Y_2 are a pair of substituents selected from the group consisting of H and F and Y_1 $= Y_2;$

 Z_{1} and Z_{2} are a pair of substituents selected from the group consisting of H and F and Z_{1} $= Z_2;$

- $A_1 \ \text{and} \ A_2$ are a pair of substituents selected from the group consisting of H and F and A_1 5 $= A_2;$
 - at least one of the pairs Y₁ and Y₂, Z₁ and Z₂, and A₁ and A₂ is substituted with F; and, R_{m} is selected from the group consisting of selected from a group consisting of an alkyl group having the general formula C_mH_{2m+1}, an alkenyl group having the general formula C_mH_{2m-1} , an alkoxy group having the general formula OC_mH_{2m+1} , and an alkenoxy group having the general formula OC_mH_{2m-1}.
 - 22. The method for preparing liquid crystal compounds as set forth in claim 21, wherein the catalyst in steps a), e), g), and k) is Pd(Ph₃)₂Cl₂/CuI.
 - 23. The method for preparing liquid crystal compounds as set forth in claim 21, wherein the amine in steps a), e), g), and k) is triethylamine.
- 24. The method for preparing liquid crystal compounds as set forth in claim 21, wherein 20 the base in steps c) and i) is NaOH.

Page 35 Polar Tolane Liquid Crystals Wu, Dalton, and Chai

A new class of liquid crystal compounds is based on tolane and bis-tolane structures:

$$R_n$$
 Z_1
 T_1
 X
 Z_2
 Y_2

(Structure IV)

$$R_{m} - \underbrace{ \left(\begin{array}{c} A_{1} \\ \\ A_{2} \end{array} \right)}_{A_{2}} T_{2} - \underbrace{ \left(\begin{array}{c} Z_{1} \\ \\ \\ Z_{2} \end{array} \right)}_{X_{2}} T_{1} - \underbrace{ \left(\begin{array}{c} Y_{1} \\ \\ \\ Y_{2} \end{array} \right)}_{Y_{2}} X_{2}$$

(Structure V)

in which X is a polar group such as F (fluoro), CN (cyano), OCF₃ (trifluoromethoxy), or NCS (isothiocyanate) at least one of the pairs of sites Y_1 and Y_2 , Z_1 and Z_2 , and for the bis-tolane derivatives, A_1 and A_2 are fluoro groups.

 T_1 for the tolane derivatives is always a triple bond. For the bis-tolane derivatives, T_1 and T_2 are either both triple bonds or one of the two groups is a double bond with and the other remains a triple bond.

 R_n or R_m may be an alkyl group having the general formula C_nH_{2n+1} , an alkenyl group having the general formula C_nH_{2n-1} , an alkoxy group having the general formula

OC_n H_{2n+1} , or an alkenoxy group having the general formula $-OC_nH_{2n-1}$. Additionally, for the tolane compounds, R_n may be a cyclohexyl substituent:

Page 36 Polar Tolane Liquid Crystals Wu, Dalton, and Chai (Structure VI)

or a dioxane substituent:

5 (Structure VII)

in which R_x is an alkyl group having the general formula general formula C_xH_{2x+1} , an alkenyl group having the general formula C_xH_{2x-1} , an alkoxy group having the general formula OC_xH_{2x+1} , or an alkenoxy group having the general formula OC_xH_{2x+1} .

These compounds exhibit useful nematic ranges and melting points. Also disclosed are eutectic mixtures including these compounds.

10

P	lease type a plus sign	(+) ınsı	de this box $ ightarrow \overline{+}$
	Under the Pape a valid OMB cor		eduction Act of 1995, no persons
	PATEI	DE NT A	FOR UTILITY OR SIGN PPLICATION FR 1.63)
	☑ Declaration Submitted with Initial Filing	OR	Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
995, no persons are required to respond to a collection of information unless it contains

HRL033B Attorney Docket Number Shin-Tson Wu First Named Inventor COMPLETE IF KNOWN

Application Number Filing Date Group Art Unit **Examiner Name**

As a below named inventor, I hereby declare that:									
My residence, post office address, and citizenship are as stated below next to my name.									
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.									
Polar Tolane Liquid Crystals									
the specification of which is attached hereto		(Title of the	Invention)						
OR was filed on (MM/D	D/YYYY)		as United	l States Applicat	ion Number or F	PCT International			
Application Number		and was ame	nded on (MM/DD/Y)	(YY)		(if applicable)			
I hereby state that I have re	eviewed and underst	and the content	ts of the above ident	ified specification	n, including the o	claims, as			
amended by any amendme			al to natentahility as	defined in 37 CF	R 1 56				
i acknowledge the duty to c	isclose information	winding materia	ar to pateritability as			···			
I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.									
Amorica, listed below and ba	PCT international a	ipplication which	h designated at lea no the box, any forei	st one country i	other than the C or patent or inver	mileo States O			
America, listed below and ha or of any PCT international a Prior Foreign Application	PCT international a	application which slow, by checkin filing date before For	h designated at lea no the box, any forei	st one country i	other than the correction patent or inver- ority is claimed.	mileo States O			
America, listed below and ha or of any PCT international a	PCT international a ave also identified be application having a f	application which slow, by checkin filing date before For	th designated at leading the box, any foreige that of the applications of the properties of the proper	st one country gn application for ion on which pri	or patent or inver or patent or inver ority is claimed.	ontor's certificate,			
America, listed below and ha or of any PCT international a Prior Foreign Application	PCT international a ave also identified be application having a f	application which slow, by checkin filing date before For	th designated at leading the box, any foreige that of the applications of the properties of the proper	st one country gn application for ion on which pri	or patent or inver or patent or inver ority is claimed.	ontor's certificate,			
America, listed below and ha or of any PCT international a Prior Foreign Application	PCT international a ave also identified be application having a f	application which slow, by checkin filing date before For	th designated at leading the box, any foreige that of the applications of the properties of the proper	st one country gn application for ion on which pri	or patent or inver or patent or inver ority is claimed.	ontor's certificate,			
America, listed below and he or of any PCT international a Prior Foreign Application Number(s)	PCT international a ave also identified be application having a f	application whice low, by checkin filing date before For	th designated at lea ng the box, any foreit e that of the applicat reign Filing Date MM/DD/YYYY)	gr application for grapplication on which priority Not Claimed	corner trial the corner trial the corner trial the corner trial the corner trial tri	opy Attached? NO			
America, listed below and he or of any PCT international a Prior Foreign Application Number(s) Additional foreign applic I hereby claim the benefit	PCT international a ave also identified be application having a formal country. Country ation numbers are list and a significant of the signific	application which checking date before filing date before for the filing da	th designated at lea no the box, any foreit e that of the applicat reign Filing Date MM/DD/YYYY) emental priority data at States provisional	priority Not Claimed Sheet PTO/SB/6	conner trial the repair of invertible of the control of the contro	opy Attached? NO			
America, listed below and he or of any PCT international a Prior Foreign Application Number(s) Additional foreign applic	PCT international a ave also identified be application having a formal country. Country ation numbers are list and a significant of the signific	application whice is low, by checkin filing date before filing date before for the form of	th designated at lea no the box, any foreit e that of the applicat reign Filing Date MM/DD/YYYY) emental priority data at States provisional	priority Not Claimed Sheet PTO/SB/(application(s) list	Certified Co YES D2B attached herested below.	ppy Attached? NO Compared to the control of the c			
America, listed below and he or of any PCT international a Prior Foreign Application Number(s) Additional foreign applic I hereby claim the benefit	PCT international a ave also identified be application having a formal country. Country ation numbers are list and a significant of the signific	application which checking date before filing date before for the filing da	th designated at lea no the box, any foreit e that of the applicat reign Filing Date MM/DD/YYYY) emental priority data at States provisional	priority Not Claimed Sheet PTO/SB/(application(s) lis	corpatent or inversional provisional provisional	ppy Attached? NO reto:			
America, listed below and he or of any PCT international a Prior Foreign Application Number(s) Additional foreign applic I hereby claim the benefit	PCT international a ave also identified be application having a formal country. Country ation numbers are list and a significant of the signific	application which checking date before filing date before for the filing da	th designated at lea no the box, any foreit e that of the applicat reign Filing Date MM/DD/YYYY) emental priority data at States provisional	st one country for application for ion on which private on which private on the private of the p	Certified Co YES D2B attached herested below.	ppy Attached? NO reto: al application on a y data sheet			

[Page 1 of 2]

Burden Hour Statement. This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

æ

Please type a plus sign (+) inside this box	→	+
Liegge (Ane a bing sidit () litigide true pox		

DECLARATION — Utility or Design Patent Application

United States of United States of information, while	f America r PCT inte	under 35 U.S.C. 120 c , listed below and, ins rnational application in erial to patentability as nternational filing date of	ofar as t the man defined i	ne subj ner prov in 37 CF	ect matter vided by th FR 1.56 wl	or eac	n or the	ob of 25 U.S	. C 112 1	acknow	ledge the duty	to disclose	
U.S	S. Parer	nt Application or Number	PCT P	arent				ling Date (YYYY)		Parent Patent Number (if applicable)			
	Additional U.S. or PCT international application numbers are listed											-	
Additional	U.S. or Po	CT international applica	ition num	bers are	e listed on	a supp	lementa	al priority da	a sheet P	TO/SB/0	2B attached he	ereto.	
As a named inve	entor, I he	reby appoint the follow	ıng regist	tered pr	actitioner(s) to pr	osecute	this applica	tion and to	transac	t all business in	n the Patent	
and Trademark	Office cor	nected therewith.	00000	er Numl	ber					>	Place Custo Number Bar		
		X	OR Registe	red prac	ctitioner(s)	name/i	registrat	ion number	listed bek	_{ow} L_	Label her	e	
				Regist				Na	ıme			tration mber	
	Name		41.2	Num	ber								
Cary Top	e-Mck	Kay	41,3	50									
Additional i	egistered	practitioner(s) named	on supple	emen <u>tal</u>	Registere	d Pract	ıtioner_l	nformation	heet PTC	/SB/02C	attached here	to.	
Direct all corr		nce to: Custor	ner Nun Code L	nber							ondence addi		
Name	Cary	Tope-McKay										-	
Address	23852	2 Pacific Coast	High	way	#311								
Address										<u>, </u>		· · · · · · · · · · · · · · · · · · ·	
City	Malib	ou					tate	CA	ZIP	zip 90265			
Country	USA		Те	lephor	ne (310) 58	9-81:	58	Fax	Fax (310) 943-2736			
I hereby decla believed to be punishable by	true, and fine or in	statements made her further that these standardsonment, or both, issued thereon.	ein of m	y own k	knowledge	are tru	ue and	that all stat					
Name of S	ole or F	irst Inventor:					A petiti	on has be	en filed f	or this u	ınsigned ınve	entor	
G	iven Nar	ne (first and middle	if anvl)			Family Name or Surname							
Shin-Tso		4	r	T	_	W	u					·	
Inventor's Signature		tholo	m	Nu							Date	8/30/00	
Residence:	City	Northridge	~ 11 °	State	CA		Country	USA			Citizenship	USA	
Post Office A	Address	19138 Frankf	ort St.										
Post Office			·										
City		Northridge State	CA		ZIF	, 9	1324		Co	untry	USA		
	Linvonto	re are being named		7_91	ınnlemen	tal Ad	ditiona	Inventor	s) sheet/	s) PTO	/SB/02A atta	ched heret	

	PTO/SB/02A (3-
Disease time a plug gian (+) inside this hox	Approved for use through 9/30/98. OMB 0651-0
Please type a plus sign (+) inside this box → +	Patent and Trademark Office; U.S. DEPARTMENT OF COMMER
Under the Benerical Peduction Act of 1995	no nersons are required to respond to a collection of information unless it contain

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1 of 2

Name of Addition	nal Joint Inventor, if any	,.			A petiti	on h	nas been filed	for this	s unsign	ed inve	entor
Given Name (first and middle [if any])						Family Name or Surname					
Zheng Chai											
Inventor's Signature	Zheng	(ha	i					Date	8	3/30/00
Residence: City	Richardson	State	TX		Country		JSA		Citizens	hip P	.R. China
Post Office Address	430 Buckingham Ro	1. #22	1								
Post Office Address											
City	Richardson	State	TX		ZIP	75	081	Country	, USA	<i>Y</i>	
Name of Addition	nal Joint Inventor, if any	y:	-		A petit	ion	has been filed	for thi	is unsigi	ned inv	entor
Given Na	me (first and middle [if any])						Family Nam	e or S	urname		
Inventor's Signature									Da	ite	
Residence: City		State			Countr	у			Citize	nship	
Post Office Address											
Post Office Address											
City		State			ZIF	,		Cour	ntry		
Name of Addition	nal Joint Inventor, if an	y:			A peti	ition	has been filed	d for th	is unsig	ned in	ventor
Given Na	ame (first and middle [if any])					Family Nar	ne or S	Surname)	
Inventor's Signature									D	ate	
Residence: City		State			Count	ry			Citize	enship	
Post Office Address											
Post Office Address	3										
City		State			ZI	Р		,	Country		

Burden Hour Statement. This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

	PTO/SB/02A (3-97)
Please type a plus sign (+) inside this box → +	Approved for use through 9/30/98. OMB 0651-0032
	Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons	are required to respond to a collection of information unless it contains a
valid OMB control number.	

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page 2 of 2

		_								1
Name of Addition	nal Joint Inventor, if any	y:			A petition	on has been filed	for this	unsigned	inve	ntor
Given Name (first and middle [if any]) Fam							amily Name or Surname			
Larry R.				Dal						
Inventor's Signature	Harry R. Dalter				in		8	79/200 Date	1	
Residence: City	Silverdale	State	WA		Country	USA		Citizenship	U	SA
Post Office Address	10965 Warren Rd. I	NW								
Post Office Address		-,						T		
City	Silverdale	State	WA		ZIP	98383	Country	USA		
Name of Addition	nal Joint Inventor, if an	y:			A petition	on has been filed	for this	s unsigned	l inve	entor
Given Na	me (first and middle [if any])				Family Nam	ne or Su	urname		
								·		
Inventor's Signature								Date		
Residence: City		State			Country			Citizens	nip	
Post Office Address										
Post Office Address										
City		State			ZIP		Count	try		
Name of Additio	nal Joint Inventor, if an	ıy:			A petiti	on has been file	d for this	s unsigne	d inv	entor
Given Na	ame (first and middle [if any])				Family Nar	ne or S	urname		
Inventor's Signature								Date		
Residence: City		State			Country	,		Citizens	hip	
Post Office Address										
Post Office Address	,									
City		State			ZIP		C	ountry		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

at a security of a security of the tables.

at a confirmed special property